

QuestMark 1139

Flexible Broadcast Primer

Directions for Use:

- For best results, we recommend a fine brush blast to provide a suitable substrate.
- Ensure all dirt, oil, dust, or other debris has been removed and surface is dry.
- Mixing ratio is one part A to one part B by volume. Standard kits are premeasured for proper mixing.
- Mix thoroughly with slow-speed mixer until material is streak-free.
- Can be applied using a roller or brush, or using a serrated squeegee and back rolling onto surface.
- Because of the short usable life, it is often beneficial to pour material onto substrate and spread along the floor. This will allow the applicator more time to work with product before it begins to cure.
- For cleanup, use xylol.

PLEASE NOTE: This product has a usable application time of 15-25 minutes once mixed.